

© CED COMMERCE. ALL RIGHTS RESERVED.

SUPPORT@CEDCOMMERCE.COM

[SocialLogin]

SocialLogin, a Magento 2.0 compatible module by CedCommerce, eliminates time-consuming customer sign up process by giving users a click based social login directly to your online shop. Instead of filling personal and login details of sign up form, customers can straight away visit Magento shop with their social login by clicking on Facebook/Google/Twitter/LinkedIn tabs of configured "Social Login" module.



SocialLogin

Admin User Manual

VER-2.0



Table of Contents

I.Installation	4
II.Overview	5
III.Configuring Social Login	6
1-Google Options:	7
2-Facebook Options:	12
3.Twitter Options:	18
4.LinkedIn Options:	20
IV.Frontend Login/Register Panel	24
V.Support	25



I. Installation

You can install this extension by following this documentation.

- a) Make a backup your web directory and store database.
- b) Download CedCommerce Social Login installation package extension.
- c) Upload contents of the CedCommerce Social Login installation package to your store root directory.

```
Example- /public html/app/code/Ced/SocialLogin
```

d) Open up your SSH console panel connect your website server. Reach to the root directory of the Magento installation

```
cd magento_root_directory
run:
php -f bin/magento module:enable Ced_SocialLogin
and then:
php -f bin/magento setup:upgrade
and then:
php -f bin/magento setup:static-content:deploy
```

- e) After running all the command you need to clear your cache of you magento store.
- f) It will install the extension on your magento store properly. Now you can enjoy the enormous feature provided by **CedCommerce**.



With **CedCommerce Social Login**, a **Magento 2.0 compatible extension**, administrator of an online shop can boost of its vibrant customer outreach on popular social media platforms namely- Facebook, Google, Twitter, and LinkedIn. The configured **CedCommerce Social Login** allows online customers to instantly login the store by clicking on the desired social media icon button.

New customers can visit the online store with a single click on any of the provided four social media buttons. First time online visitors are allowed to completely skip the online account creation process with the comfort of enabled **CedCommerce Social Login** module.

CedCommerce Social Login Advantages-

For Admin:

as the module is **Magento 2.0 compatible**, so the online store can retain its existing customer as well as attract new visitors. Your shop is enabled to accept visitors' social login details for allowing straightaway login to the store. Thus, a great customer experience is offered by your online store.

For Customers:

New customers are allowed to ignore the sign up process and are privileged to login just by hitting on the Facebook/Google/Twitter/LinkedIn tab provided at the online store's frontend. Registered customers can also login with their social login details by clicking on any of the four icons, provided their registered email ids are same with that of their respective social accounts. If the case is otherwise, then, login will be successful but customers need to maintain separate email ids for both. Customers logged on the online store via **CedCommerce Social Login** can also place order.



III. Configuring Social Login

The website admin can configure the SocialLogin extension by the settings- Store > click Configuration link > Cedcommerce Extension menu of admin panel.

0	Configuration				Q		上 admin 👻
dashboard	Store View: Default Config 👻 🔞					Sa	ve Config
SALES PRODUCTS	GENERAL	~	Social Login Google Configuration Optic	ons			0
CUSTOMERS	CedCommerce Extensions	^	Enable Google Login	Yes	[GLOBAL]		
MARKETIN G	Social Login		Google API Client ID		[GLOBAL]		
	CATALOG	~	Google API Client Secret		[GLOBAL]		
	CUSTOMERS	~	Social Login Facebook Configuration Op	tions			0
<u>~~</u>	SALES	~					
	SERVICES	~	Enable Facebook Login	NO	[GLOBAL]		
SYSTEM	ADVANCED	~	Social Login Twitter Configuration Optic	ons			\odot

Configured Magento 2 Social Login will show the following fields for the four social media platform. Setting fields, which accepts API credential information, will be viewable after a particular social login configuration is enabled by the online store admin. The following four fields will appear-



Social Login Settings-

Social Login Google Configuration Optio	ns		Save Config
Enable Google Login	No	[GLOBAL]	
Social Login Facebook Configuration Op	tions		\odot
Enable Facebook Login	Yes	[GLOBAL]	
Social Login Twitter Configuration Optio	ns		\odot
Enable Twitter Login	No	[GLOBAL]	
Social Login Linkedin Configuration Opt	ions		\odot
Enable Linkedin Login	No	[GLOBAL]	

1-Google Options:

Maximum online users of web traffic are likely to have Google account, so it's always smart decision to attract users on your online store via "g+ tab" of social login module. To access API credential and secret key of the Google, admin has to create a GoogleProject from Google Developers Console. Admin can reach to the console by clicking the below given link and reading listed steps-

Url Link:

https://console.developers.google.com/



First step is initiated with creation of the Google Project and completed by clicking on "create project" link.

Social Login M-2 💌				
Filter by project name or project ID 🛛 🗙				
All projects				
CedSocial-M2	cedsocial-m2			
🗸 Social Login M-2	social-login-m-2			
test	erudite-spot-106207			
test-project	primal-gate-106207			
test-project 1	test-project-1-1062			
Manage all projects				
Create a project				



Create a new project by entering project name and project id in the applicable box. Submit the asked details by entering the **"Create"** tab.

New Pro	iect	
Project na	me 🕐	
Social lo	gin 3	
Your proje	et ID will be social-login-3 🕜 Edit	
Show adv	anced options	
Create	Cancel	

Step 3-Create new Client ID:

Admin will be taken to next screen, and then, has to expand the left section "**API &auth**" under it, admin will see the "**Credentials**" link. The click contains "Create a new Client ID" tab.



Home Permissions	C ere	3 redentials OAuth consent screen Then click here	
APIs & auth APIs Crede 2 is	4	Add credentials API key Identifies your project using a simple API key to check quota and access. For APIs like Google Translate.	r details.
Monitoring Traces		OAuth 2.0 client ID Requests user consent so your app can access the user's data. For APIs like Google Calendar.	icatoue2p4ig6bvf9b155jv.apps.googleusercontent.com
Logs Dashboards & alerts Source Code		Service account Enables server-to-server, app-level authentication using robot accounts. For use with Google Cloud APIs.	pumj512he.apps.googleusercontent.com
Deploy & Manage Compute Networking		On the left section click in the Credentials link	

Step 4- Set Callback Url:

After selecting "Web Application" type under the project type information, admin has to enter the project name and select the email id. In this step, the following screen will appear. Enter Domain Base Url of the site (here we have used https://www.example.com) and Callback Url (here we have used https://www.example.com) and Callback Url (here we have used https://www.example.com) and Callback Url (here we have used https://www.example.com/index.php/cedsociallogin/google/connect/). It is understood that example.com is domain of Magento installation. Now, append the url "index.php/cedsociallogin/google/connect/" and provide the same on Google Project section.

COMMERCE	
←	
Create client ID	
Application type	
Web application	
Android Learn more	
Chrome App Learn more	
iOS Learn more	
PlayStation 4	
O ther	
Name	
Web client 2	
Authorized JavaScript origins Enter JavaScript origins here or redirect URIs below (or both) Cannot contain a wildcard (http://*.example.com) or a path (http://example.com/subdir).	
nttp://www.examole.com	
http://www.example.com	
Authorized redirect URIs Must have a protocol. Cannot contain URL fragments or relative paths. Cannot be a public IP address.	
$https://www.example.com/index.php/cedsociallogin/google/connect/ \\ \times$	
http://www.example.com/oauth2callback	
Create Cancel	

On clicking the "Create Client Id" button, admin gets the "Client Id" and "Secret Key", which will be used in the next and last step of Magento 2.0 Social Login's Google option configuration.

Step 5- Copy API Credentials:

Copy "Client Id" and "Secret Key" from client ID for web application and client secret tabs respectively.

COMMERCE
OAuth client Here is your client ID
597614189414-5900fcpramcatoue2p4ig6bvf9b155jv.apps.googleusercontent.com
Here is your client secret Dxfhe4XyWhTlHMzKm2uABi40
OK Copy the secret key

Step 6- Paste API Credentials:

Paste "Client Id" and "Secret Key" in the appropriate configuration section. Once both entries are provided, **Magento 2.0 Social Login** Google option gets configured on Magento store.

Social Login Google Configuration Optio	ns	\odot
Enable Google Login	Yes	[GLOBAL]
Google API Client ID		[GLOBAL]
Google API Client Secret		[GLOBAL]

2-Facebook Options:

The popular social networking site Facebook probably has more than 1 billion active users, so they can also be potential customer for your online store. Configuring the social Facebook option requires the admin to create new Facebook application for accessing App Id and Secret Key. Under new facebook application, admin has to create new application by clicking on the below Url link and reading listed steps.



Url Link: https://developers.facebook.com/

Step1 - Create Facebook App:

On clicking the url link, a new page will open, admin has to select "**My App**" menu and click on the "**Add new App**" from the dropdown options.



Step 2- Select Website type:

Select website app as a platform to get started and click on continue button.





Step 3- Create New Facebook App ID:

Enter the app name and click the continue tab.

Start Over	www Quick Start for Website	T day to with functions T day to with functions S day to with functions the state one and Processor B	Skip Quick Start
	CedSocialLogin Create New Facebook App ID		
Setup SDK	CedSocialLogin		Finished

Step 4- Create App Id:

Select the application type and category. Then, click on the "Create App ID" tab.

COMMERCE	
Create a New App ID	×
Create CedSociallogin App?	
Category Choose a Category	
By proceeding, you agree to the Facebook Platform Policies Cancel Create App	ID

From the App's main setting configuration page, navigate to the **"Settings"** tab and enter site Url, contact email, then, click on the save changes button.

Ced Social-M2 🔻	Basic	Advanced Mig	grations
② Dashboard Click here	App ID	App Secret	
Settings	1624314891178771	•••••	Show
★ Status & Review	Display Name	Namespace	
		Ountent Empil	
App Details	demo.cedcommerce.com ×	developer@gmail.com	
Roles		1 00	
🖧 Open Graph	Website Entersite un		Quick Start X
Alerts	Site URL		
Nocalize	http://demo.cedcommerce.com/		

Step 6 - Set Support E-mail:



Click on App details, provide support email address under user support email box.

Ced Social-M2 🔻	App Info •	Web Preview
② Dashboard	Complete the App Details below so people can find yo app for review on the Status & Review tab if you want	our app when they search the web. Next, submit your it to be considered for listing in our App Center.
Settings	Primary Language	Tagline
Click here Status & Review	English (US)	
App Details	Short Description	Long Description
Roles	Publisher	
🖧 Open Graph	Optional - Company that publishes this app	Evaluation for Dormissions
Alerts	Health & Fitness 🔻	
🛍 Localize	Enter the support amail	
Canvas Payments	You can enter other required information	
Audience Network	Contact Info	
🛆 Test Apps	Privacy Policy URL	Terms of Service URL
	Privacy policy or Login dialog and App Details	Terms of Service for Login dialog and App Details
Analytics	User Support Email	User Support URL
	User support inquiries will be sent to this address	Users are directed here when they request support
	Marketing URL	App Page
	Optional - URL for a promotional site for your app	Create New Page

Step 7- Turn Live App:

On clicking "Status and Review" tab of Magento dashboard and selecting "yes", admin gets the option to set the app live. Hit the live button.





Step 8- Copy API credentials: Go to the "Dashboard" link to copy the App ID and secret key.

Ced Social-M2 - Dashboard	Copy the app id		click on show	
Dashboard Settings	CedSocial-M2 This app is public and available to	2 • all users [?]		
Click on the dashboard	App ID	API Version [?]	App Secret	Show
		12.7		

Step 9- Paste API credentials:

Paste the information in the Magento Social Login Facebook Options fields. On frontend, the Social Login facebook button will be viewable to both customers and admin.

Social Login Facebook Configuration Options			\odot
Enable Facebook Login	No	[GLOBAL]	



3.Twitter Options:

for enabling Twitter login functionality on your online shop, admin has to create a twitter app by clicking the below given Url link to "**Create New App**" button, besides reading the listed steps.

Url Link: https://apps.twitter.com/

Step 1- Create Twitter Apps:

click on the "Create New App" tab.

Y Application Management		
Twitter Apps		
	You don't currently have any Twitter Apps.	
	Create New App	

Step 2- Provide Asked Information:

enter application details (name, description, and website), Callback Url, and read the application developer agreement.



eate an application pleation pleation Details ***********************************	Application Management
polication Details me dedociallogin r application name. This is used to attribute the source of a tweet and in user-facing authorization screens. 32 characters max. scription dedociallogin r application description, which will be shown in user-facing authorization screens. Between 10 and 200 characters max. bsite tp://example.com/ r application description, which will be shown in user-facing authorization screens. Between 10 and 200 characters max. bsite tp://example.com/ r application's publicly accessible home page, where users can go to download, make use of, or find out more information about your application. This fully-qualified to the source attribution for tweets created by your application and will be shown in user-facing authorization screens. rou don't have a URL yet, just put a placeholder here but memother to change it later.) Itback URL pr/lexample.com// re splication from using calibacks, leave this field blank. Aveloper Agreement	reate an application
population Details me descialogin r application name. This is used to attribute the source of a tweet and in user-facing authorization screens. 32 characters max. scription descialogin r application description, which will be shown in user-facing authorization screens. 32 characters max. beite publication description, which will be shown in user-facing authorization screens. Between 10 and 200 characters max. beite publication description, which will be shown in user-facing authorization screens. Between 10 and 200 characters max. beite publication description, which will be shown in user-facing authorization screens. Between 10 and 200 characters max. beite publication description, which will be shown in user-facing authorization screens. Between 10 and 200 characters max. beite publication description, which will be shown in user-facing authorization screens. between 10 r application for tweets created by your application and will be shown in user-facing authorization screens. r application for tweets created by your application and will be shown in user-facing authorization screens. r application for tweets created by your application and will be shown in user-facing authorization screens. r application for tweets created by your application and will be shown in user-facing authorization screens. r application for tweets created by your application and will be shown in user-facing authorization screens. r application for tweets created by your application and will be shown in user-facing authorization screens. r application form using calibacks, leave this field blank. r application from using calibacks, leave this field blank. r application from using calibacks, leave this field blank. r application from using calibacks, leave this field blank. r application for application from using calibacks, leave this field blank. r application for application from using calibacks, leave this field blank. r application for application from using calibacks, leave this field blank. r appl	
me * edsociallogin r application name. This is used to attribute the source of a tweet and in user-facing authorization screens. 32 characters max. scription * dsociallogin r application description, which will be shown in user-facing authorization screens. Between 10 and 200 characters max. bette * pt/lexample.com/ r application for tweets created by your application and will be shown in user-facing authorization screens. don't have a URL yet, just put a placeholder here but remember to change it later.) Htack URL pt/lexample.com/index.php/cedsociallogin/twitter/connect/ resolud we return after successfully authenticating? OAuth 1.0a applications should explicitly specify their oauth_caliback URL on the request token step, regard value given here. To restrict your application from using calibacks, leave this field blank. eveloper Agreement	pplication Details
edsocialiogin r application name. This is used to attribute the source of a tweet and in user-facing authorization screens. 32 characters max. scription dosocialogin r application description, which will be shown in user-facing authorization screens. Between 10 and 200 characters max. betre pr/lexample.com/ r application's publicly accessible home page, where users can go to download, make use of, or find out more information about your application. This fully-qualified in the source actinubulin for tweets created by your application and will be shown in user-facing authorization screens. rou don't have a UFL yet, just put a placeholder here but remember to change it later.) Hack URL pr/lexample.com/index.php/cedsociallogin/twitter/connect/ re should use return after successfully authenticating? OAuth 1.0a applications should explicitly specify their oauth_caliback UFL on the request token step, regard value given here. To restrict your application from using calibacks, leave this field blank. x-Compniance wun Laws; Export and import. Each party will company will an application in use laws of the country where it is fieldvered or used. You agree to abide by these laws. Under these laws, the Licensed Material may not be sold, leased, downloaded, noved, exported, or transferred across borders without a license, or approval from the relevant government (uternet) (Ude, Iran, Ionth Korea, Northem Sudan and Syria); or to any restricted or denied end-user, including, but not limited to, any person or entity prohibited y the U.S. Office of Foreign Assets Control; or for any restricted end-user. You will maintain throughout the Term all fights and licenses that y thereage the licenses that become (uternet) (Ude, Iran, Ionth Korea, North Matter Elect NAMEEPIAL IS DECA/IDED TO YOUL FAS IS* SMHERE IS* MATHA ALL EAULTS AND EACH	ame *
r application name. This is used to attribute the source of a tweet and in user-facing authorization screens. 32 characters max. scription disociallogin r application description, which will be shown in user-facing authorization screens. Between 10 and 200 characters max. betweet p://example.com/ r application's publicly accessible home page, where users can go to download, make use of, or find out more information about your application. This fully-qualified in the source attribution for tweets created by your application and will be shown in user-facing authorization screens. rou don't have a URL yet, just put a placeholder here but remember to change it later.) Hack URL p://example.com/index.php/cedsociallogin/twitter/connect/ re should we return after successfully authenticating? OAuth 1.0a applications should explicitly specify their oauth_callback URL on the request token step, regard value given here. To restrict your application from using callbacks, leave this field blank. exveloper Agreement Computative You gape to abide by these laws. Under these laws, the Licensed Material may not be sold, leased, downloaded, noved, exported, or transferred across borders without a license, or approval from the relevant government (currently Cube, Iran, lorth Korea, Northem Sudan and Syria); or to any restricted or denied end-user including, but not limited to, any person or entity prohibited y the U.S. Office of Foreign Assets Control; or for any restricted end-user. You will maintain throughout the Term all rights and licenses that y theorement (blecking). Marcandy Discretion Service Assets Control; or for any restricted end-user. You will maintain throughout the Term all rights and licenses that y theorement to prove Services.	Zedsociallogin
scription • disociallogin r application description, which will be shown in user-facing authorization screens. Between 10 and 200 characters max. bate • tp://example.com/ r application's publicly accessible home page, where users can go to download, make use of, or find out more information about your application. This fully-qualified d in the source attribution for tweets created by your application and will be shown in user-facing authorization screens. or don't have a URL yet, just put a placeholder here but remember to change it later.) Ilback URL p://example.com/index.php/cedsociallogin/twitter/connect/ are should we return after successfully authenticating? OAuth 1.0a applications should explicitly specify their oauth_callback URL on the request token step, regard value given here. To restrict your application from using callbacks, leave this field blank. eveloper Agreement	bur application name. This is used to attribute the source of a tweet and in user-facing authorization screens. 32 characters max.
description r application description, which will be shown in user-facing authorization screens. Between 10 and 200 characters max. thete * tp://example.com/ r application's publicly accessible home page, where users can go to download, make use of, or find out more information about your application. This fully-qualified in the source attribution for tweets created by your application and will be shown in user-facing authorization screens. ou don't have a UFL yet, just put a placeholder here but remember to change it later.) Ilback URL tp://example.com/index.php/cedsociallogin/twitter/connect/ re should we return after successfully authenticating? OAuth 1.0a applications should explicitly specify their oauth_callback UFL on the request token step, regard value given here. To restrict your application from using callbacks, leave this field blank. eveloper Agreement	escription *
rr application description, which will be shown in user-facing authorization screens. Between 10 and 200 characters max. thether * tp://example.com/ rr application's publicly accessible home page, where users can go to download, make use of, or find out more information about your application. This fully-qualified d in the source attribution for tweets created by your application and will be shown in user-facing authorization screens. row don't have a UFL yet, just put a placeholder here but remember to change it later.) Illack URL tp://example.com/index.php/cedsociallogin/twitter/connect/ are should we return after successfully authenticating? OAuth 1.0a applications should explicitly specify their oauth_callback UFL on the request token step, regard value given here. To restrict your application from using callbacks, leave this field blank. Eveloper Agreement Compniance wint Laws; Export and import. Each party will compny wint all applicable foreign, rederat, state, and local laws, rules and gulations. The Licensed Material is subject to U.S. export laws and may be subject to import and use laws of the country where it is leivered or used. You agree to abide by these laws. Under these laws, the Licensed Material may not be sold, leased, downloaded, noved, exported, or transfered across borders without a license, or approval from the relevant government authority, to any ountry or to any foreign national restricted by these laws, including countries embargoed by the U.S. Government (currently Cuba, Iran, Ioth Korea, Northem Sudan and Syria); or to any restricted end-user including, but not limited to, any person or entity prohibited y the U.S. Office of Foreign Assets Control; or for any restricted end-user including, but not limited to, any person or entity prohibited y the U.S. Office of Foreign Assets Control; or for any restricted end-user. You will maintain throughout the Term all rights and licenses that re required with respect to your Services.	edsociallogin
the ite * tp://example.com/ rapplication's publicly accessible home page, where users can go to download, make use of, or find out more information about your application. This fully-qualified d in the source attribution for tweets created by your application and will be shown in user-facing authorization screens. or don't have a URL yet, just put a placeholder here but remember to change it later.) Ilback URL tp://example.com/index.php/cedsociallogin/twitter/connect/ are should we return after successfully authenticating? OAuth 1.0a applications should explicitly specify their oauth_callback URL on the request token step, regard value given here. To restrict your application from using callbacks, leave this field blank. Eveloper Agreement Compniance wurit taws; Export and import. Each party will comply will all applicable foreign, redefat, state, and local taws, fulles and guidations. The Licensed Material is subject to U.S. export have and may be subject to import and use laws of the country where it is lelivered or used. You agree to abide by these laws. Under these laws, the Licensed Material may not be sold, leased, downloaded, noved, exported, re-exported, or transferred across borders without a license, or approval from the relevant government authority, to any ountry or to any foreign national restricted by these laws, including countries embargoed by the U.S. Government (currently Cuba, Iran, Ioth Korea, Northem Sudan and Syfia); or to any restricted or denied end-user including, but not limited to, any person or enthy prohibited y the U.S. Office of Foreign Assets Control; or for any restricted or denied end-use. You will maintain throughout the Term all rights and licenses that re required with respect to your Services.	ur application description, which will be shown in user-facing authorization screens. Between 10 and 200 characters max.
try://example.com/ tr application's publicly accessible home page, where users can go to download, make use of, or find out more information about your application. This fully-qualified in the source attribution for tweets created by your application and will be shown in user-facing authorization screens. rou don't have a URL yet, just put a placeholder here but remember to change it later.) IIIback URL p://example.com/index.php/cedsociallogin/twitter/connect/ res. To restrict your application from using callbacks, leave this field blank. EVeloper Agreement Comparison of these to use the subject to U.S. export and import claim pany will comply will all applicable foreign, rederar, state, and local raws, rules and gulations. The Licensed Material is subject to U.S. export laws and may be subject to import and use laws of the country where it is lelivered or used. You agree to abide by these laws. Under these laws, the Licensed Material is subject of uses blacks without a license, or approval from the relevant government authority, to any ountry or to any foreign national restricted by these laws, including countries embargoed by the U.S. Government (currently Cuba, Iran, Iofh Korea, Northern Sudan and Syria); or to any restricted or denied end-user including, but not limited to, any person or entity prohibiled of the U.S. Office of Foreign Assets Control; or for any restricted or denied end-user including, but not limited to, any person or entity prohibiled of the U.S. Office of Foreign Assets Control; or for any restricted or denied end-user including, but not limited to, any person or entity prohibiled of the U.S. Office of Foreign Assets Control; or for any restricted ond-user. You will maintain throughout the Term all rights and licenses that re required with respect to your Services.	/ehsite *
re application's publicly accessible home page, where users can go to download, make use of, or find out more information about your application. This fully-qualified in the source attribution for tweets created by your application and will be shown in user-facing authorization screens. rou don't have a URL yet, just put a placeholder here but remember to change it later.) Ilback URL tp://example.com/index.php/cedsociallogin/twitter/connect/ re should we return after successfully authenticating? OAuth 1.0a applications should explicitly specify their oauth_callback URL on the request token step, regard value given here. To restrict your application from using callbacks, leave this field blank.	ttp://example.com/
tp://example.com/index.php/cedsociallogin/twitter/connect/ are should we return after successfully authenticating? OAuth 1.0a applications should explicitly specify their oauth_callback URL on the request token step, regard value given here. To restrict your application from using callbacks, leave this field blank. eveloper Agreement Compnance wur Laws; Export and import Each party will comply will all applicable foreign, rederal, state, and local laws, fulles and egulations. The Licensed Material is subject to U.S. export laws and may be subject to import and use laws of the country where it is lelivered or used. You agree to abide by these laws. Under these laws, the Licensed Material may not be sold, leased, downloaded, noved, exported, re-exported, or transferred across borders without a license, or approval from the relevant government authority, to any ountry or to any foreign national restricted by these laws, including countries embargoed by the U.S. Government (currently Cuba, Iran, lorth Korea, Northem Sudan and Syria); or to any restricted or denied end-user including, but not limited to, any person or entity prohibited y the U.S. Office of Foreign Assets Control; or for any restricted end-use. You will maintain throughout the Term all rights and licenses that re required with respect to your Services.	an application's publicly accessible nome page, where users can go to download, make use of, or find out more miomation about your application. This fully-qualified ed in the source attribution for tweets created by your application and will be shown in user-facing authorization screens. You don't have a URL yet, just put a placeholder here but remember to change it later.)
Proveloper Agreement Compnance with Laws; Export and import, Each party will comply with all application form using callbacks, leave this field blank. Proveloper Agreement Compnance with Laws; Export and import, Each party will comply with all application form using callbacks, leave this field blank. Proveloper Agreement Compnance with Laws; Export and import, Each party will comply with all application form using callbacks, leave this field blank. Proveloper Agreement Compnance with Laws; Export and import, Each party will comply with all application form using callbacks, leave this field blank. Proveloper Agreement Compnance with Laws; Export and import, Each party will comply with all application form using callbacks, leave this field blank. Proveloper Agreement Compnance with Laws; Export and import, Each party will comply with all application foreign, recerar, state, and locan laws, rules and egulations. The Licensed Material is subject to U.S. export laws and may be subject to import and use laws of the country where it is lelivered or used. You agree to abide by these laws. Under these laws, the Licensed Material may not be sold, leased, downloaded, noved, exported, re-exported, or transferred across borders without a license, or approval from the relevant government authority, to any ountry or to any foreign national restricted by these laws, including countries embargoed by the U.S. Government (currently Cuba, Iran, lotth Korea, Northem Sudan and Syria); or to any restricted or denied end-user including, but not limited to, any person or entity prohibited y the U.S. Office of Foreign Assets Control; or for any restricted end-use. You will maintain throughout the Term all rights and licenses that re required with respect to your Services. Marranty Disclaimer, THE LICENSED MATERIAL IS PROVIDED TO YOUL*AS IS**********************************	ittp://example.com/index.php/cedsociallogin/twitter/connect/
Compliance with Laws; Export and import Each party will comply with all applicable foreign, rederal, state, and local laws, rules and egulations. The Licensed Material is subject to U.S. export laws and may be subject to import and use laws of the country where it is lelivered or used. You agree to abide by these laws. Under these laws, the Licensed Material may not be sold, leased, downloaded, noved, exported, re-exported, or transferred across borders without a license, or approval from the relevant government authority, to any ountry or to any foreign national restricted by these laws, including countries embargoed by the U.S. Government (currently Cuba, Iran, lorth Korea, Northem Sudan and Syria); or to any restricted or denied end-user including, but not limited to, any person or entity prohibited by the U.S. Office of Foreign Assets Control; or for any restricted end-use. You will maintain throughout the Term all rights and licenses that re required with respect to your Services.	here should we return after successfully authenticating? OAuth 1.0a applications should explicitly specify their oauth_callback URL on the request token step, regard e value given here. To restrict your application from using callbacks, leave this field blank.
Compnance with Laws; Export and import. Each party will comply with all applicable foreign, rederal, state, and locan laws; rules and egulations. The Licensed Material is subject to U.S. export laws and may be subject to import and use laws of the country where it is lelivered or used. You agree to abide by these laws. Under these laws, the Licensed Material may not be sold, leased, downloaded, noved, exported, re-exported, or transferred across borders without a license, or approval from the relevant government authority, to any ountry or to any foreign national restricted by these laws, including countries embargoed by the U.S. Government (currently Cuba, Iran, lorth Korea, Northern Sudan and Syria); or to any restricted or denied end-user including, but not limited to, any person or entity prohibited by the U.S. Office of Foreign Assets Control; or for any restricted end-use. You will maintain throughout the Term all rights and licenses that re required with respect to your Services.	eveloper Aareement
	C. Compliance with Laws; Export and import Each party will comply with all applicable foreign, rederal, state, and local laws, rules and regulations. The Licensed Material is subject to U.S. export laws and may be subject to import and use laws of the country where it is delivered or used. You agree to abide by these laws. Under these laws, the Licensed Material may not be sold, leased, downloaded, moved, exported, re-exported, or transferred across borders without a license, or approval from the relevant government authority, to any country or to any foreign national restricted by these laws, including countries embargoed by the U.S. Government (currently Cuba, Iran, North Korea, Northem Sudan and Syria); or to any restricted or denied end-user including, but not limited to, any person or entity prohibited by the U.S. Office of Foreign Assets Control; or for any restricted end-use. You will maintain throughout the Term all rights and licenses that are required with respect to your Services.
Yes, Lagree	Yes, I agree
eate your Twitter application	reate your Twitter application

In the Callback Url field provide http://example.com/index.php/cedsociallogin/twitter/connect/

Then, append the Callback Url "cedsociallogin/twitter/connect/" to the Magento 2.0 base Url. Accept the agreement by clicking on the "**Create your Twitter application**" button.



Navigate to the "**Key and Access Token**", copy the API credential and paste them to the Magento SocialLogin configuration.

CEUSULI	alLogin	
Details Settings	Keys and Access Tokens	Permissions
Application Setti	ngs cret" a secret. This key shou	Id never be human-readable in your application.
Consumer Key (API Key) Consumer Secret (API Se	jXpt9mrDmXCXNeVcCKlzo ecret) 8aBeEwsboMQwr	odfBi naPu6SprksXEMOnJ6vdxML0GBg3Af3NtG8SMP1
Access Level	Read and write (modify a	pp permissions)
Owner	dev_cedcoss	
Owner ID	381364817	

4.LinkedIn Options:

to configure LinkedIn social login functionality, admin needs to create Linkedin application by clicking the below given Url and reading listed steps.

Url Link:

https://www.linkedin.com/developer/apps

Step 1- Create App:

Click on the "Create Application" button and provide the following asked information-

- Company Name
- Name
- Description



- Application Logo Url
- Application Use
- Website Url
- Business Email
- Business Phone

Tick the LinkedIn API terms and condition agreement box and click on the "submit" tab.



/ly Applications +	Create Application
Create a New Application Company Name:* CedSocialLogin	Click here to create new app
Name: "	
SocialLogin2	
Description: *	
SocialLogin2	
Application Logo URL:*	
09bc11343032787249.e6ac802e.m_ welcome -Technologies.jpg	
Networking	
Website URL:*	
http://example.com/	
Business Email: *	
abc@gmail.com	Flease provide an email address for a business contact responsible for this application.
Business Phone:"	
54554526	
2 I have read and agree to the LinkedIn API Terms of Use.	fill form details and then click on submit

Step 2- Set permission:

Admin has to select the "**r_basicprofile**", "**r_emailaddress**" permission for accessing account related information. Then, authorized redirect Url register <u>http://example.com/index.php/cedsociallogin/linkedin/connect/</u> is provided too. Magento base



url has to be appended "**cedsociallogin/linkedin/connect/**" as url key. Copy the API and Secret Key for further usage.

Authentication	
Settings	Authentication Keys
Roles	
Mobile	Client ID: 7588ml8ziqxdfo
JavaScript	
OS	Client Secret: G1FACqXeks4USoRm
Usage & Limits	Select these two permissions
My Applications	
	r_basicprofile r_emailaddress □ rw_company_admin
	w_share
	OAuth 2.0 Enter the authorization url
	Authorized Redirect URLs:
	2 Add
	http://example.com/index.php/cedsociallogin/linkedin/connect/
	OAuth 1.0a
	OAuth 1.0a Default "Accept" Redirect URL:
	OAuth 1.0a Default "Accept" Redirect URL:
	OAuth 1.0a Default "Accept" Redirect URL:
	OAuth 1.0a Default "Accept" Redirect URL: Click on update Redirect URL:
	OAuth 1.0a Default "Accept" Redirect URL: Click on update Redirect URL:
	OAuth 1.0a Default "Accept" Redirect URL: Click on update Redirect URL: 3 Update Cancel

Step 3- Paste API Credential:

Paste Consumer key and consumer secret to access the configured **Magento 2.0 Social Login** LinkedIn button on your online store.

C CED COMME	RCE		
Social Login Linkedin Configuration Opt	tions		0
Enable Linkedin Login	Yes	[GLOBAL]	
Consumer Key	75vygwtofuwbiz	[GLOBAL]	
Consumer Secret	31oGeGQPbqlkmD04	[GLOBAL]	

IV. Frontend Login/Register Panel

Configured CedCommerce Social Login, on Magento 2.0 version online store shows four tabs of social media icons on customer login page to both new and registered customers. Clicking on any of the (Google, Facebook, Twitter, LinkedIn) tab facilitates direct customer log-in on your online store to offer quality user experience to customers.

The configured **CedCommerce Social Login**, eliminates the requisite customer personal and account details, to provide a click-enalbed speedy login on your online store. It's praiseworthy that customers are saved from undergoing time consuming sign up/account creation form just to login an online store.

Customer Login	
Registered Customers	New Customers
if you have an account, sign in with your email address. Email *	Creating an account has many benefits: check out faster, keep more than one address, track orders and more.
Password *	
Login Forgot Your Password?	
* Required Fields	
SocialLogin	
8* Locan f Locan y Locan in Login	



Customers are encouraged for quick login with their social login details; however, it does not restrict customers wishing to create account through account register page

Create New Customer Account	
Personal Information	
First Name *	
Last Name *	
Email *	
Sign Up for Newsletter	
Sign-in Information	
Password *	
Confirm Password *	
Create an Account	
SOCIALLOGIN 8+ LOGIN in Login	

V. Support

For any queries or reporting any bugs or issues please contact us at support@cedcommerce.com

Team Ced Commerce